# **HEARING PROTECTION**

The final selection of hearing protection should always be made primary towards the level of noise in working area, secondly in regards to the desired comfort. Standard requirements ask that the ambient sound level be under 90 decibel, your hearing protection should attenuate the noise and allow you to get emergency message.

Selection is:

Passi

Disposable earplug, (hygienic & practical).
Washable earplug, (economical).

Earmuffs, (for those who are not comfortable with earplugs).
Headsets (cups) with integrated radio, (special areas).



9291 Du Prado, St-Leonard Qc, H1P 3H1 Tel.: 514-388-5551, 1-866-580-5551, Fax: 514-388-2040 WWW.sylprotec.com, email: info@sylprotec.com



- \* Hearing protector soft & greatly appreciated.
- \* Non irritating.



| CODE   | DESCRIPTION                                | ATTENUATION | BOX OF |
|--------|--|-------------|--------|
| OA101  | PVC earplug Classic regular without corded | 29 DB       | 200    |
| OA111  | PVC earplug Classic with corded            | 29 DB       | 200    |
| OA101D | Dispenser unit for earplug Classic         |             |        |
| OA101R | Refill for dispenser earplug Classic       | 29 DB       | 500    |
| O1100  | Polyurethane earplug 3M without corded     | 29 DB       | 200    |
| O1110  | Polyurethane earplug 3M with corded        | 29 DB       | 100    |



9291 Du Prado, St-Leonard, Qc, H1P 3H1 Tel.: 514-388-5551, 1-866-580-5551, Fax: 514-388-2040 WWW.sylprotec.com, email: info@sylprotec.com 2012-10-26









OA3001

| CODE    | DESCRIPTION                           | ATTENUATION | BOX OF |  |
|---------|---------------------------------------|-------------|--------|--|
| OA1101  | Earplug Laser Lite without corded     | 32 DB       | 200    |  |
| OA1101C | Earplug Laser Lite with corded        | 32 DB       | 100    |  |
| OA1102  | Earplug Max Lite without corded       | 30 DB       | 200    |  |
| OA1102C | Earplug Max Lite with corded          | 30 DB       | 100    |  |
| OA3001  | Earplug Peltor Tri-Flange with corded | 26 DB       | 100    |  |
| )<br>   |                                       |             |        |  |

Banded hearing protection SPHERE, 28 db. Contoured design that typically floats around the neck, limiting contact with collars and helmets/hats. Three pieces adjustable band. Lightweight and durable plastic. Two tip options: "FLEX 28" or "COMFORT PODS"



| 0       |  |             |  |  |
|---------|--|-------------|--|--|
| CODE    | DESCRIPTION                              | ATTENUATION |  |  |
| OA100   | Banded hearing protection Sphere         | 28 DB       |  |  |
| ОА100-В | Replacement Earplug Sphere, pq / 5 pairs | 28 DB       |  |  |
|         |  |             |  |  |



- \* Hearing protector soft & greatly appreciated.
- \* Non irritating.







OA1208



| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~    | <pre></pre>   |  |
|---|---|--|
| DESCRIPTION                               | ATTENUATION   | BOX OF   |
| Earplug E-Z-Fit without corded            | 28 DB   | 200  |
| Earplug Taperfit 2 regular without corded | 32 DB   | 200  |
| Earplug Taperfit regular with corded      | 32 DB   | 200  |
| Earplug Neon Blast regular without corded | 33 DB   | 200  |
| Earplug Neon Blast regular with corded    | 33 DB   | 200  |
|   | DESCRIPTION<br>Earplug E-Z-Fit without corded<br>Earplug Taperfit 2 regular without corded<br>Earplug Taperfit regular with corded<br>Earplug Neon Blast regular without corded | Earplug E-Z-Fit without corded28 DBEarplug Taperfit 2 regular without corded32 DBEarplug Taperfit regular with corded32 DBEarplug Neon Blast regular without corded33 DB |

## FOR FOOD INDUSTRY. Blue Earplug with Metal Detectable

OA4106







OA4007

|        |  |                  | 00000000 |
|--------|--|------------------|----------|
| CODE   | DESCRIPTION                                | ATTENUATION      | BOX OF   |
| OA4007 | Earplug Ultrafit detectable with corded    | 21 DB            | 100      |
| OA4023 | Earplug Ultrafit detectable with corded    | 21 DB            | 100      |
| OA4106 | Earplug E.A.R. Soft detectable with corded | 33 DB            | 200      |
|        |  | 1010101010101010 | ~~~~~    |



9291 Du Prado, St-Leonard, Qc, H1P 3H1 Tel.: 514-388-5551, 1-866-580-5551, Fax: 514-388-2040 WWW.sylprotec.com, email: info@sylprotec.com 2012-10-26

- Average attenuation of 29 db. \*
- Padded wide headband for better comfort. \*
- Stainless steel headband for extended wear. \*
- Wide ear cushions for comfort. \*
- Easy replaceable cushions. \*
- \* Twin cups for better attenuation.
- \* Weight: 9.3 oz.

| CODE    | DESCRIPTION                       |
|---------|-----------------------------------|
| OPH10A  | Over-the-head, 29db attenuation   |
| OPH10P3 | Cap attached, 29db attenuation    |
| OPH10B  | Behind-the-head, 29db attenuation |
| OPHY10  | Hygiene kit for H10 model         |





- Average attenuation 22 db. \*
- Padded wide headband for better comfort. \*
- Stainless steel headband for extended wear. \*
- Wide ear cushions for comfort. \*
- \* Easy replaceable cushions.
- \* Weight 5.1 oz.

OPH9P3

| CODE   | DESCRIPTION                     |
|--------|---------------------------------|
| OPH9A  | Over-the-head, 22db attenuation |
| OPH9P3 | Cap attached, 22db attenuation  |
| OPHY9  | Hygiene kit for H9 model        |





- \* Effective protection: average attenuation of 27 db.
- \* Padded wide headband for better comfort.
- \* Stainless steel headband for extended wear.
- \* Cushions made of foam and liquid mix for a better seal.
- \* Easy replaceable cushions.
- \* Design for protection up to extreme level.
- \* Weight: 7.8 oz.

OPH6P3

**OPH6B** 

OPH6F

| CODE   | DESCRIPTION                       |
|--------|-----------------------------------|
| OPH7A  | Over-the-head, 27db attenuation   |
| OPH7P3 | Cap attached, 27db attenuation    |
| OPH7B  | Behind-the-head, 27db attenuation |
| OPHY7  | Hygiene kit for H7 model          |





OPH7P3

OPH7A

- \* Average attenuation of 19 db.
- \* Padded wide headband for better comfort.
- \* Stainless steel headband for extended wear.
- \* Wide ear cushions for comfort.
- \* Easy replaceable cushions.
- \* Weight 5.3 oz.

| DESCRIPTION                       |
|-----------------------------------|
| Over-the-head, 22db attenuation   |
| Cap attached, 22db attenuation    |
| Behind-the-head, 22db attenuation |
| Folding model, 22db attenuation   |
| Hygiene kit for H6 model          |
|                                   |





- \* Hearing protector soft & greatly appreciated.
- \* Non irritating.



| CODE   | DESCRIPTION                                | ATTENUATION | BOX OF |
|--------|--|-------------|--------|
| OA101  | PVC earplug Classic regular without corded | 29 DB       | 200    |
| OA111  | PVC earplug Classic with corded            | 29 DB       | 200    |
| OA101D | Dispenser unit for earplug Classic         |             |        |
| OA101R | Refill for dispenser earplug Classic       | 29 DB       | 500    |
| O1100  | Polyurethane earplug 3M without corded     | 29 DB       | 200    |
| O1110  | Polyurethane earplug 3M with corded        | 29 DB       | 100    |



9291 Du Prado, St-Leonard, Qc, H1P 3H1 Tel.: 514-388-5551, 1-866-580-5551, Fax: 514-388-2040 WWW.sylprotec.com, email: info@sylprotec.com 2014-04-12





#### OA1102



OA3001

| CODE                                    | DESCRIPTION  | ATTENUATION            | BOX OF        |
|---|--|------------------------|---------------|
| OA1101                                  | Earplug Laser Lite without corded                    | 32 DB                  | 200           |
| OA1101C                                 | Earplug Laser Lite with corded                       | 32 DB                  | 100           |
| OA1102                                  | Earplug Max Lite without corded                      | 30 DB                  | 200           |
| OA1102C                                 | Earplug Max Lite with corded                         | 30 DB                  | 100           |
| OA3001                                  | Earplug Peltor Tri-Flange with corded                | 26 DB                  | 100           |
| 0)0101010101010101010101010101010101010 | , exerciciene le | <u>nononononono</u> no | 2010101010000 |

Banded hearing protection SPHERE, 28 db. Contoured design that typically floats around the neck, limiting contact with collars and helmets/hats. Three pieces adjustable band. Lightweight and durable plastic. Two tip options: "FLEX 28" or "COMFORT PODS"



| 0       |  |             |  |  |
|---------|--|-------------|--|--|
| CODE    | DESCRIPTION                              | ATTENUATION |  |  |
| OA100   | Banded hearing protection Sphere         | 28 DB       |  |  |
| ОА100-В | Replacement Earplug Sphere, pq / 5 pairs | 28 DB       |  |  |
|         |  |             |  |  |



- \* Hearing protector soft & greatly appreciated.
- \* Non irritating.







OA1208



| 0000           | NOVOVOVO                | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~  | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ |                   |
|----------------|-------------------------|---|--|-------------------|
| C              | ODE                     | DESCRIPTION   | ATTENUATION                            | BOX OF            |
| OA             | A1208                   | Earplug E-Z-Fit without corded  | 28 DB                                  | 200               |
| OA             | A1219                   | Earplug Taperfit 2 regular without corded   | 32 DB                                  | 200               |
| OA             | A1223                   | Earplug Taperfit regular with corded  | 32 DB                                  | 200               |
| OA             | A1252                   | Earplug Neon Blast regular without corded   | 33 DB                                  | 200               |
| OA             | 1252C                   | Earplug Neon Blast regular with corded  | 33 DB                                  | 200               |
| OA<br>OA<br>OA | A1223<br>A1252<br>1252C | Earplug Taperfit regular with corded<br>Earplug Neon Blast regular without corded | 32 DB<br>33 DB<br>33 DB                | 200<br>200<br>200 |

OA4002

OA4007

OA4106



| DESCRIPTION                           | ATTENUATION   | BOX OF   |
|---------------------------------------|---|--|
| Earplug Ultrafit with cord and case   | 25 DB   | 50   |
| Earplug Ultrafit detectable with cord | 21 DB   | 100  |
| Earplug Earsoft detectable with cord  | 33 DB   | 200  |
|                                       | DESCRIPTION<br>Earplug Ultrafit with cord and case<br>Earplug Ultrafit detectable with cord | Earplug Ultrafit with cord and case25 DBEarplug Ultrafit detectable with cord21 DB |



9291 Du Prado, St-Leonard, Qc, H1P 3H1 Tel.: 514-388-5551, 1-866-580-5551, Fax: 514-388-2040 WWW.sylprotec.com, email: info@sylprotec.com 2014-04-12

- Average attenuation of 29 db. \*
- Padded wide headband for better comfort. \*
- Stainless steel headband for extended wear. \*
- Wide ear cushions for comfort. \*
- Easy replaceable cushions. \*
- \* Twin cups for better attenuation.
- \* Weight: 9.3 oz.

| CODE    | DESCRIPTION                       |
|---------|-----------------------------------|
| OPH10A  | Over-the-head, 29db attenuation   |
| OPH10P3 | Cap attached, 29db attenuation    |
| OPH10B  | Behind-the-head, 29db attenuation |
| OPHY10  | Hygiene kit for H10 model         |





- Average attenuation 22 db. \*
- Padded wide headband for better comfort. \*
- Stainless steel headband for extended wear. \*
- Wide ear cushions for comfort. \*
- \* Easy replaceable cushions.
- \* Weight 5.1 oz.

OPH9P3

| CODE   | DESCRIPTION                     |
|--------|---------------------------------|
| OPH9A  | Over-the-head, 22db attenuation |
| OPH9P3 | Cap attached, 22db attenuation  |
| OPHY9  | Hygiene kit for H9 model        |





- \* Effective protection: average attenuation of 27 db.
- \* Padded wide headband for better comfort.
- \* Stainless steel headband for extended wear.
- \* Cushions made of foam and liquid mix for a better seal.
- \* Easy replaceable cushions.
- \* Design for protection up to extreme level.
- \* Weight: 7.8 oz.

OPH6P3

**OPH6B** 

OPH6F

| CODE   | DESCRIPTION                       |
|--------|-----------------------------------|
| OPH7A  | Over-the-head, 27db attenuation   |
| OPH7P3 | Cap attached, 27db attenuation    |
| OPH7B  | Behind-the-head, 27db attenuation |
| OPHY7  | Hygiene kit for H7 model          |





OPH7P3

OPH7A

- \* Average attenuation of 19 db.
- \* Padded wide headband for better comfort.
- \* Stainless steel headband for extended wear.
- \* Wide ear cushions for comfort.
- \* Easy replaceable cushions.
- \* Weight 5.3 oz.

| Over-the-head, 22db attenuation   |
|-----------------------------------|
| Cap attached, 22db attenuation    |
| Behind-the-head, 22db attenuation |
| Folding model, 22db attenuation   |
| Hygiene kit for H6 model          |
| ]                                 |

