

# FLAMMABLE LIQUID CONTAINERS

---

Flammable liquid containers allows you to reduce fire hazards. Our great selection of containers will solve all of your employee 's handling questions. Because of Canadian insurance certification we select, in priority, ULC approved products.

Depending on the handling type, you will find the right container for your needs. For more information please contact our customer service.



9291 Du Prado, St-Leonard Qc, H1P 3H1  
Tel.: 514-388-5551, 1-866-580-5551, Fax: 514-388-2040  
WWW.sylprotec.com, email: info@sylprotec.com

# FLAMMABLE LIQUID STORAGE CABINETS

WA04



WA20



WA30



WA60



FM approved and meet  
NFPA and OSHA requirements.

WAM



CODE	DESCRIPTION
WA04	Flammable liquid storage cabinets 4 gallons US, 22 in. height X 17 in. wide X 17 in. deeper
WA20	Wall flammable liquid storage cabinets 20 gallons US, 44 in. height X 43 in. wide X 12 in. deeper
WA22	Flammable liquid storage cabinets 22 gallons US, 35 in. height X 35 in. wide X 22 in. deeper
WA30	Flammable liquid storage cabinets 30 gallons US, 44 in. height X 43 in. wide X 18 in. deeper
WA45	Flammable liquid storage cabinets 45 gallons US, 65 in. height X 43 in. wide X 18 in. deeper
WA45V	Vertical flammable liquid storage cabinets 45 gallons US, 65 in. height X 34 in. wide X 34 in. deeper
WA45H	Horizontal flammable liquid storage cabinets 45 gallons US, 50 in. height X 30 in. wide X 48 in. deeper
WA60	Flammable liquid storage cabinets 60 gallons US, 22 in. height X 17 in. wide X 17 in. deeper
WA60-T	Extra metal shelf for 60 gallon safety cabinets
WAM	MSDS Document Storage Box

# ULC FLAMMABLE LIQUID STORAGE CABINETS

Serious loss of personnel belongings and industrial equipment have made the management aware of the high risk presented by fire and novice vapour everywhere flammable liquid are used or stored. The storage cabinet can be put closer to the work zone. For a maximum security, fill the cabinet with WB approved security container. Designed and labelled by Underwriters Laboratories of Canada, in accordance with Canada 1980, section 4 national code of fire and flammable liquids and combustibles, performance clause 4.2.10.4 they will be perfect.



- \* Quality made of calibers 18 steel.
- \* Double wall welded built.
- \* 2 in. isolation between walls.
- \* Fire proof exterior walls.
- \* Door sill raised 2 in. above the bottom of the cabinet to form a liquid-tight well.
- \* 3 ways locking system on door.
- \* Coated galvanized adjustable shelves allowing storage of different container sizes.
- \* 4 levelling adjustable feet.
- \* 2 in. side gills; one on each side for best ventilation.
- \* Firewall cover for each gill.
- \* Yellow security enamel painted indicating: :  
« **FLAMMABLE – KEEP FIRE AWAY.** » in red letters.
- \* Each cabinets is individually wrapped in a cardboard box.
- \* All cabinets have double doors.
- \* Additional shelves available for a little extra.



WACULC

WATULC



CODE	DESCRIPTION
WA30ULC	Flammable liquid storage cabinets ULC, 30 gallons 45 in. height X 44 in. wide X 19 in. deeper
WA45ULC	Flammable liquid storage cabinets ULC, 45 gallons 66 in. height X 44 in. wide X 19 in. deeper
WATULC	Extra metal shelf for 30 and 45 gallons flammable storage cabinets ULC
WACULC	Vent cap 2 in. for ULC flammable storage cabinets

# TYPE 1 FLAMMABLE LIQUID CONTAINERS

Economical, built to transport flammables liquid inside a facility. The type of can is use to transfer liquid in large



- \* Made of steel 22 gauges thickness.
- \* Automatic closure.
- \* Firewall device.

CODE	DESCRIPTION
WB10301	Type 1 container, 1 gallon US, 9.6 in. diameter X 11.6 in. height
WB10701	Type 1 container, 2.5 gallons US, 11.5 in. diameter X 12 in. height
WB10801	Type 1 container, 5 gallons US, 11 ½ in. diameter 17 in. height

# TYPE 2 FLAMMABLE LIQUID CONTAINERS



- \* Made of steel 22 gauges thickness.
- \* Equipped with 2 openings for better transfer.  
*One opening for filling and air way;*  
*One opening for transfer.*
- \* Equipped with a flexible hose for a precision transfer.
- \* Automatic closure.
- \* Firewall device.
- \* FM, UL,ULC approved.

CODE	DESCRIPTION
WB10327	Type 2 containers, 1 gallon US, 9.5 in. diameter X 11 in. height
WB10721	Type 2 containers, 2.5 gallons US, 11.5 in. diameter X 12 in. height
WB10821	Type 2 containers, 5 gallons US, 11 ½ in. diameter X 18 in. height

# CANS & BENCH CONTAINERS

- \* Solvent dispenser.
- \* Handy for people using solvents.
- \* Easy & safe.
- \* FM approved.

WD10308



WD10108



WD10008



WD10370



- \* To soak parts.
- \* Easy & safe.
- \* Firewall basket.
- \* FM approved.

CODE	DESCRIPTION
WD10008	Polyethylene solvent dispenser, 1 quart capacity, 5 1/2 in. diameter X 9 in. height
WD10108	Steel solvent dispenser, 1 liter capacity, 7 1/4 in. diameter X 6 1/2 in. height
WD10308	Steel solvent dispenser, 1 gallon US capacity, 7 1/4 in. diameter X 11 in. height
WD10370	Steel bench container, 1 gallon US capacity, 9 3/8 in. diameter X 4 1/2 in. height

# CARBAGE CONTAINERS



- \* Used to store solvent soak rags.
- \* Safe.
- \* Maximum opening of 60 degrees.
- \* 4 sizes without pedal.
- \* FM approved.

CODE	DESCRIPTION
WC09110	Steel container no pedal 6 gallons US, 11 7/8 in. diameter X 15 7/8 in. height
WC09310	Steel container no pedal 10 gallons US, 13 15/16 in. diameter X 18 1/4 in. height
WC09510	Steel container no pedal 14 gallons US, 16 1/16 in. diameter X 20 1/4 in. height
WC09710	Steel container no pedal 21 gallons US, 18 3/8 in. diameter X 23 7/16 in. height



- \* Used to store solvent soak rags.
- \* Safe.
- \* Maximum opening of 60 degrees.
- \* 4 sizes with pedal.
- \* FM approved.

CODE	DESCRIPTION
WC09100	Steel container with pedal 6 gallons, 11 7/8 in. diameter X 15 7/8 in. height
WC09300	Steel container with pedal 10 gallons, 13 15/16 in. diameter X 18 1/4 in. height
WC09500	Steel container with pedal 14 gallons, 16 1/16 in. diameter X 20 1/4 in. height
WC09700	Steel container with pedal 21 gallons, 18 3/8 in. diameter X 23 7/16 in. height